

STAR55

78" x 27" x 28" (H x W x D)

DISCONTINUED: Replaced by the SCFU1510

Highlights:

Commercially approved for use in foodservice establishments

True frost-free operation saves you maintenance by preventing icy buildup

External temperature readout and easy thermostat controls ensure better temperature performance



Product Features:

SUMMIT

Commercially approved

ETL-S Approved to ANSI-NSF Standard 7 and CalCode Compliant

Frost-free operation

Let your appliance do the work with a timer defrost heater that continuously keeps ice from forming inside

Double pane tempered glass door

Curved heat resistant glass door provides clear view to promote impulse buys

Front-mounted lock

Keep contents secure with a key lock on the door

Adjustable shelves

Rearrange the freezer space to accommodate all shapes and sizes or remove shelves for a simple clean-up

Full fluorescent lighting

Illuminates the entire interior for maximum visibility

Adjustable thermostat

Manage the interior temperature with ease and accuracy

External temperature readout

Keep track of the interior temperature without even opening the door

100% CFC free

Environmentally friendly design without ozone-damaging chemicals



STAR55 Specifications:

Overview	
Height of Cabinet	78.0" (198 cm)
Width	27.0" (69 cm)
Depth	28.0" (71 cm)
Capacity	13.0 cu.ft. (368 L)
Defrost Type	Frost-Free
Door	Glass
Cabinet	Gray
US Electrical Safety	UL
Voltage/Frequency	115 V AC/60 Hz
Weight	100.0 lbs. (45 kg)
Shipping Weight	260.0 lbs. (118 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101020099
Freezer	
Door Swing	RHD
Reversible	Yes

